





Created by **(iii) nonnalinas_bags**

ELEGANT BAG Misina & New Glitter p. 6 **BOBBLE BAG** Nuovo Irlanda p. 6

Created by **inamore_e_fantasia**

MAGIA DELLA LANA

FW 2025/2026 2 FW 2025/2026



Created by **inamore_e_fantasia**



Elegant bag

Measurements of finished bag: 25 cm wide at its widest point, 23 cm high
Skill Level: intermediate

How much yarn:

6 balls (each ball 50g and 100m) of **Misina** yarn (100% Pure New Wool) shade no. 14594 and 2 balls (each ball 25g and 300m) of **New Glitter** yarn (51% Polyester, 49% Nylon) shade no. 9120 **Hook:** A 4.00mm crochet hook

Sewing needle: Yarn needle with rounded point **Other items:** Green and yellow stitch-markers Two golden rings 13cm in diameter

STITCHES

Using hook: chain (ch) - Slip stitch (ss) Double crochet (dc) - RIDGE DOUBLE CROCHET BACK (RDCB): work 1 dc inserting hook into back loop only of previous row. THERMAL STITCH: (work on any number of sts plus 1 turning ch that will never be counted as a stitch). 1st row: 1 dc into 2nd ch from hook, 1 dc into each of next chains, chl, turn. 2nd row: 1 RdcB into each st of previous row, chl, turn. 3rd row: turning the work slightly horizontally so that you can clearly see the row being worked on and the ridge two rows below, * work in dc, inserting hook at the same time into back loop of next st and into corresponding front loop of the st two rows below; rep from * to end, ch1, turn. Rep 3rd row throughout, keeping in mind that a complete thermal stitch pattern is made up of 2 rows because the stitch has a double-sided effect.

INSTRUCTIONS

Note: work using 2 strands of New Glitter yarn and 1 strand of Misina yarn held together throughout.

Front Panel: work in thermal stitch starting from rings. Secure the yarn around a ring and work 51 dc, then place stitch-markers as follows: count 10 sts, place a yellow stitch-marker in next st, miss 1 st, place a yellow stitch-marker in next st, place a green stitch-marker in following st, count 23 sts, place a green stitch-marker in next st (= 25 central sts that will remain unchanged), place a yellow stitch-marker in next st, miss 1 st, place a yellow stitch-marker in next st, last 10 sts will be free. Cont to work, increasing and decreasing as follows.

1st row: miss 1 st (= 1 decrease), work in thermal st and, in correspondence with yellow stitch-markers inc 1 st (= 2 dc into next st) and move stitch-marker, instead in correspondence with green stitch-markers work always the stitch and move the stitch-marker; work to last 2 sts and dc2tog (= insert hook in a stitch, yarn on hook and pull a loop through, insert hook in next stitch, yarn on hook and pull a loop through, yarn on hook and pull through the 3 loops on the hook: 1 dec made), ch1, turn. **2nd row:** work in thermal stitch, dec 1 st at each side as given in previous row, BUT WITHOUT INCREASING.

Note: when you get to the increases of the previous row, insert crochet hook twice into same stitch, otherwise the number of loops available will not be enough. Before working 3rd row, move the stitch-markers as follows: place 1 yellow stitch-marker in the outer stitch of each green stitch-marker, miss 2 sts (always outward), place a yellow stitch-marker in next st. 3rd row: work as 1st row. Rep last 2 rows, cont to work in thermal stitch, inc 4 sts every alternate row and, at the same time, dec 1 st at each end every row, until to have 8 dc between yellow stitch-markers: the 25 central sts must remain unchanged. Now, leave only the yellow stitch-marker in the stitch next to the green ones and cont to work inc only 2 sts every row and dec 1 st at each end, until only 25 central sts remain. With two strands of New Glitter yarn held together, work a row of dc along outer edge. Fasten off.

Back Panel: work as Front Panel.

Join panels, using yarn needle and two strands of New Glitter yarn held together. Leave a free space near the handles to make it easier to open the bag.

Note: before joining the panels, line them with matching fabric if desired.

Bobble bag

Measurements of finished bag: 25 cm wide 24cm high, 15cm deep Skill Level: intermediate

How much yarn: 10 balls (each ball 50g and 83m) of Nuovo Irlanda yarn (100% Pure Merino Wool Machine Washable) shade no. 12959
Hook: A 4.50mm crochet hook
Sewing needle: Yarn needle with rounded point

Other items: Sewing yarn and matching thread Lining fabric in matching colour. Felt. Ring and carabiner. Fabric glue

STITCHES

Using hook: chain (ch) - Double crochet (dc)
Treble (tr). PRAWN STITCH: This is dc worked from left to

right. Start at the left-hand end of the row you are working, insert the hook in the first st to the right and complete a dc stitch. Repeat in the next st to the right and continue to the end of the row.

BOBBLE STITCH A: (work on an odd number of sts)

1st, 2nd, 3rd and 4th rows: work a row of dc; at end work 1 turning chain. 5th row (bobble row): 1 dc into 1st st, * 1 bobble into next st, working into same st 4 tr closed together as follows: (yarn on hook, insert hook in stitch, yarn on hook and pull a loop through, yarn on hook and pull through two loops on hook) 4 times, yarn on hook and pull through the 5 loops on the hook (= 1 bobble made), 1 dc into each of next 3 sts; rep from * ending with a bobble and 1 dc; chl, turn. 6th, 7th and 8th row: work as 1st row. 9th row: 1 dc into each of next 3 sts, * 1 bobble into next st, 1 dc into each of next 3 sts,

rep from * to end, chl, turn. Rep from 2nd to 9th row throughout.

BOBBLE STITCH B: (work on an odd number of sts)

1st and 2nd rows: work a row of dc; at end work 1 turning chain. **3rd row (bobble row):** 1 dc into 1st st, * 1 bobble into next st, 1 dc into next st; rep from * ending with a bobble and 1 dc; ch1, turn. **4th row:** work a row of dc; at end work 1 turning chain. Rep from 1st to 4th row throughout.

INSTRUCTIONS

Back panel: ch36 and, starting from 2bd ch from hook, work 9 rows of Bobble Stitch A. Then work 3 rows of dc, turn work and complete upper edge with a row of prawn st. Fasten off.

Front panel: work as Back Panel.

Bottom, gussets and shoulder strap: ch22 and, starting from 2nd ch from hook, work 29 rows in Bobble stitch B until you reach the measure to form the bag bottom and sides of the panels. End with a row of bobbles and continue to work first part of shoulder strap with Bobble stitch B, working only the 4 central bobbles. From 3rd row, dec 1 st at each side every row 3 times. When 11 rows of bobbles have been worked, cont to work 3 rows dc, then fasten off. Now, join yarn to starting chains on other side of work and work second part of shoulder strap as given for first part.

FINISHING

From felt cut out 3 pieces in the same size of two panels and bottom with gussets. For lining, cut out 3 pieces of fabric that are each 1 cm bigger than each corresponding crocheted part all around for seams and hems. With RS of lining pieces tog, sew the 2 panels and bottom with gussets, using a lcm seam width so the lining fits well inside bag. On WS of lining fabric glue felt shapes in correspondence to strengthen lining. Join crocheted parts of bag: work a row of dc inserting hook into both thicknesses of each panel and corresponding side of bottom and gusset. Sew the 2 halves of shoulder strap, work a row of dc along each shoulder strap side, then fold in half central 35cm of shoulder strap and join them with a row of dc. Insert strengthened lining into bag, fold hems and sew along upper side, inside bag. For closure, fix ring and carabiner at centre of panel. Make a tassel 10cm long and, with 2 rows of chains, join it to bag.

Shoulder entrelace bag

Measurements of finished and closed bag: 24 cm wide, 13cm high, 5cm deep Skill Level: intermediate

How much yarn: 5 balls (each ball 50g and 100m) of Maxi Vip yarn (80% Extrafine Merino Wool, 20% Cashmere) shade no. 14574 bricky

Hooks: A 3.75mm crochet hook A 4.00mm crochet hook

Sewing needle: Yarn needle with rounded point **Other items:** Sewing yarn and matching thread

Canvas mesh. Stitch-holders

Metal rings. Lining fabric in matching colour

Magnetic buttons with flaps Golden chain for shoulder strap

STITCHES

Using hook: chain (ch) - Slip stitch (ss)

Double crochet (dc)

RIDGE SLIP STITCH BACK (RSSB): work 1 ss inserting hook

into back loop only of previous row.

RIDGE DOUBLE CROCHET BACK (RDCB): work 1 dc inserting hook into back loop only of previous row.

INSTRUCTIONS

Flap: flap is made up of 10 strips, **4 of** which are **long** and **6 short**, arranged in entrelace pattern.

Long strips: with 3.75mm crochet hook, ch61 and starting from 2nd ch from hook work a row of ss, turn and cont to work in Ridge slip stitch back. When strip measures approx 4cm from beg, fasten off.

Short strips: with 3.75mm crochet hook, ch51 and starting from 2nd ch from hook work a row of ss, turn and cont to work in Ridge slip stitch back. When strip measures approx 4cm from beg, fasten off.

Considering the part similar to the stocking stitch as Right Side (RS) of work and using the stitch-holders to keep the strips together, weave them together to create an entrelaced checkboard, as shown in picture. Then sew the strips together. Finish the flap thus obtained with a round of ss, working in correspondence of outer corners of a long side as follows: 1 dc, ch1 and 1 dc. Fasten off.

Panel: with 4.00mm crochet hook and 2 strands of yarn work a row of Ridge double crochet back across other long side, then cont to work rows of dc for approx 28cm, then fasten off. From canvas mesh cut out a panel of the same size, then join it to crocheted panel, working 1 round dc. Work another round dc and a round ss. Fasten off.

Gusset: (make 2) for each gusset, with 4.00mm crochet hook and 2 strands of yarn ch8 and, starting from 2nd ch from hook, work a row of dc. Turn and cont to work rows of 7 dc for 11cm. From canvas mesh cut out a shape of the same size, then join it to crocheted gusset, working 1 round dc. Work another round dc and a round ss. Fasten off.

FINISHING

Cut lining fabric to size and sew on WS of flap, panel and gussets, then join gussets to panel with a row of dc. Sew magnetic buttons on lining fabric, along flap's outer long side, and on crocheted weave at base of bag front panel. Insert metal rings in correspondence of side gussets, then insert golden chain as shoulder strap.

FW 2025/2026 7 FW 2025/2026